

# COMAI

**NINGBO COMAI ELECTRIC TECHNOLOGY CO., LTD**  
宁波科迈电器科技有限公司

地址：浙江省慈溪市古塘街道长池路728号  
Add: No.728 Changchi Road ,Gutang Street,Cixi City,Zhejiang,China  
Tel.: +86-574-63479884  
Fax.: +86-574-63478887  
Web: [www.comai-kc.com](http://www.comai-kc.com)



# COMAI

NINGBO COMAI ELECTRIC TECHNOLOGY CO., LTD  
宁波科迈电器科技有限公司



**2025-2026**  
[www.comai-kc.com](http://www.comai-kc.com)



# ABOUT US

## 关于我们

Ningbo COMAI Electric Technology Co., Ltd. is an integrated manufacturer and trader at the forefront of refrigeration innovation. We combine advanced global technologies with proprietary R&D to deliver core product lines such as juice dispensers and slush machines.

Designed for people, our products unite precision engineering, dependable operation, and streamlined design. They meet the demands of diverse global venues—from hotels and schools to entertainment centers and retail chains. A testament to our quality, COMAI products are trusted in over 30 countries and regions, earning a distinguished international reputation.

Our commitment is simple: Quality builds our brand; integrity serves our partners. Through relentless product advancement and global market expansion, we provide high-performance equipment and dependable support. Together with our worldwide partners, we are shaping a sustainable future.

宁波科迈电器科技有限公司是一家集研发、生产与销售于一体的工贸型民营企业。公司深度融合全球前沿制冷技术与自主研发优势，成功打造果汁机、雪融机等系列核心产品。产品秉持人性化设计理念，融合科学结构、稳定性能与流畅外观，精准匹配酒店、学校、娱乐场所、连锁门店等全球多样化场景，远销海外30余个国家与地区，在国际市场建立了卓越口碑。

科迈始终坚守“以品质铸就品牌，以诚信服务客户”的核心价值观，持续推动技术升级与产品迭代，积极拓展全球市场。我们致力于以高标准的产品与高效可靠的服务，携手全球合作伙伴，共创可持续未来。

**COMAI is a professional refrigeration equipment manufacturer founded in 2008**

- **ANNUAL OUTPUT VALUE:**  
\$20 million
- **NUMBER OF STAFF:**  
80 - 100
- **CONSTRUCTION AREA:**  
20,000 square meters
- **MAIN PRODUCTS:**  
Slush Machines, Juice Dispensers, Ice Cream Machines
- **MAIN MARKETS:**  
Europe, Americas, Asia, Africa, Oceania

**20,000** square meters

**BUILD A BRAND WITH QUALITY,  
SERVE CUSTOMERS WITH INTEGRITY**

**\$20 MILLION  
PER YEAR**



CONTENTS

SLUSH MACHINE



| 商用雪融机 |      |
|-------|------|
| 3L    | P.01 |
| 4L    | P.02 |
| 10L   | P.03 |
| 12L   | P.04 |
| 15L   | P.06 |

JUICE DISPENSER



| 商用果汁机 |      |
|-------|------|
| 9L    | P.07 |
| 10L   | P.09 |
| 18L   | P.11 |
| 12L   | P.13 |
| 50L   | P.14 |

ICE CREAM MACHINE



| 商用冰淇淋机 |      |
|--------|------|
| 3L     | P.15 |

HOUSEHOLD  
SLUSH MACHINE



| 家用雪融机 |      |
|-------|------|
| 2.5L  | P.17 |
| 3L    | P.18 |
| 2.5LA | P.19 |
| 2.5LB | P.20 |

# SLUSH MACHINE

商用雪融机系列



- XRJ3LX1



XRJ3LX2



XRJ3LX3



| Model name(名称)                     | XRJ3LX1             | XRJ3LX2             | XRJ3LX3             |
|------------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 300W                | 340W                | 700W                |
| Capacity(容积)                       | 3LX1                | 3LX2                | 3LX3                |
| Operating Temperature (温度℃)        | -2~-7℃              | -2~-7℃              | -2~-7℃              |
| Packaging Size (Plywood Case,木箱尺寸) | 690X300X740MM       | 690X450X740MM       | 690X680X740MM       |
| Product Dimensions (产品尺寸, mm)      | 500X200X520MM       | 500X350X520MM       | 500X520X520MM       |
| Net Weight (净重kg)                  | 20.3KG              | 29KG                | 40KG                |
| Gross Weight (毛重kg)                | 31.6KG              | 39KG                | 52KG                |

# SLUSH MACHINE

商用雪融机系列



- XRJ4LX1



XRJ4LX2



| Model name(名称)                     | XRJ4LX1             | XRJ4LX2             |
|------------------------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 300W                | 340W                |
| Capacity(容积)                       | 4LX1                | 4LX2                |
| Operating Temperature (温度℃)        | -2~-7℃              | -2~-7℃              |
| Packaging Size (Plywood Case,木箱尺寸) | 690X300X740MM       | 690X450X740MM       |
| Product Dimensions (产品尺寸, mm)      | 500X200X520MM       | 500X350X520MM       |
| Net Weight (净重kg)                  | 20.3KG              | 29KG                |
| Gross Weight (毛重kg)                | 31.6KG              | 39KG                |



# SLUSH MACHINE

商用雪融机系列

10L

- XRJ10LX2



XRJ10LX1



XRJ10LX3



| Model name(名称)                     | XRJ10LX1            | XRJ10LX2            | XRJ10LX3            |
|------------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 500W                | 1000W               | 1300W               |
| Capacity(容积)                       | 10LX1               | 10LX2               | 10LX3               |
| Operating Temperature (温度℃)        | -2 ~ -8℃            | -2 ~ -8℃            | -2 ~ -8℃            |
| Packaging Size (Plywood Case,木箱尺寸) | 475X585X985MM       | 595X585X985MM       | 885X585X985MM       |
| Product Dimensions (产品尺寸, mm)      | 320X520X820MM       | 420X500X820MM       | 690X520X820MM       |
| Net Weight (净重kg)                  | 31KG                | 49KG                | 61KG                |
| Gross Weight (毛重kg)                | 46KG                | 65KG                | 80KG                |

# SLUSH MACHINE

商用雪融机系列

12L

- XRJ12LX2



XRJ12LX1



XRJ12LX3



| Model name(名称)                     | XRJ12LX1            | XRJ12LX2            | XRJ12LX3            |
|------------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 620W                | 860W                | 1280W               |
| Capacity(容积)                       | 12LX1               | 12LX2               | 12LX3               |
| Operating Temperature (温度℃)        | -2 ~ -8℃            | -2 ~ -8℃            | -2 ~ -8℃            |
| Packaging Size (Plywood Case,木箱尺寸) | 475X585X985MM       | 595X585X985MM       | 885X585X985MM       |
| Product Dimensions (产品尺寸, mm)      | 320X520X820MM       | 420X520X820MM       | 690X520X820MM       |
| Net Weight (净重kg)                  | 34KG                | 46KG                | 66KG                |
| Gross Weight (毛重kg)                | 46KG                | 66KG                | 82KG                |



# SLUSH MACHINE

商用雪融机系列

12L

- BXRJ12LX2



BXRJ12LX1



BXRJ12LX3



| Model name(名称)                     | BXRJ12LX1           | BXRJ12LX2           | BXRJ12LX3           |
|------------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 560W                | 940W                | 1400W               |
| Capacity(容积)                       | 12LX1               | 12LX2               | 12LX3               |
| Operating Temperature (温度℃)        | -2 ~ -10℃           | -2 ~ -10℃           | -2 ~ -10℃           |
| Packaging Size (Plywood Case,木箱尺寸) | 350X590X985MM       | 550X590X985MM       | 750X590X985MM       |
| Product Dimensions (产品尺寸, mm)      | 270X515X810MM       | 470X515X810MM       | 670X515X810MM       |
| Net Weight (净重kg)                  | 33KG                | 51KG                | 70KG                |
| Gross Weight (毛重kg)                | 47KG                | 69KG                | 92KG                |

# SLUSH MACHINE

商用雪融机系列

15L

- XRJ15LX2



XRJ15LX1



XRJ15LX3



| Model name(名称)                     | XRJ15LX1            | XRJ15LX2            | XRJ15LX3            |
|------------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                        | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                      | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                          | 500W                | 600W                | 800W                |
| Capacity(容积)                       | 15LX1               | 15LX2               | 15LX3               |
| Operating Temperature (温度℃)        | -2 ~ -3℃            | -2 ~ -3℃            | -2 ~ -3℃            |
| Packaging Size (Plywood Case,木箱尺寸) | 360X630X920MM       | 480X630X920MM       | 670X630X920MM       |
| Product Dimensions (产品尺寸, mm)      | 288X550X740MM       | 425X550X740MM       | 603X550X740MM       |
| Net Weight (净重kg)                  | 40KG                | 45KG                | 63KG                |
| Gross Weight (毛重kg)                | 48KG                | 55KG                | 73KG                |



9L

# JUICE DISPENSER

商用果汁机系列



KM-LRYJ9LX2



KM-LRYJ9LX3



KM-LRYJ9LX4



KM-LRYJ9LX6

| Model name(名称)                | KM- LRYJ9LX2        | KM- LRYJ9LX3        | KM- LRYJ9LX4        | KM- LRYJ9LX6        |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                | 350W                |
| Capacity(容积)                  | 9LX2                | 9LX3                | 9LX4                | 9LX6                |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 380X470X720MM       | 480X470X720MM       | 630X470X720MM       | 880X470X720MM       |
| Product Dimensions (产品尺寸, mm) | 310X450X660MM       | 425X450X660MM       | 565X450X660MM       | 820X450X660MM       |
| Net Weight (净重kg)             | 20KG                | 29KG                | 32KG                | 52KG                |
| Gross Weight (毛重kg)           | 23KG                | 31KG                | 35KG                | 55KG                |



MIXER(搅拌式)



SPRAY(喷淋式)





# JUICE DISPENSER

商用果汁机系列

10L



MIXER(搅拌式)



SPRAY(喷淋式)

- KM-LRYJ10LX2



KM-LRYJ10LX3



KM-LRYJ10LX4



KM-LRYJ10LX6

# JUICE DISPENSER

商用果汁机系列

10L



MIXER(搅拌式)



SPRAY(喷淋式)

- BYD-LRYJ10LX2



BYD-LRYJ10X3



BYD-LRYJ10X4

| Model name(名称)                | KM-LRYJ10LX2        | KM-LRYJ10LX3        | KM-LRYJ10LX4        | KM-LRYJ10LX6        |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                | 350W                |
| Capacity(容积)                  | 10LX2               | 10LX3               | 10LX4               | 10LX6               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 380X470X720MM       | 480X470X720MM       | 630X470X720MM       | 880X470X720MM       |
| Product Dimensions (产品尺寸, mm) | 310X450X660MM       | 425X450X660MM       | 565X450X660MM       | 820X450X660MM       |
| Net Weight (净重kg)             | 20KG                | 29KG                | 32KG                | 52KG                |
| Gross Weight (毛重kg)           | 23KG                | 31KG                | 35KG                | 55KG                |

| Model name(名称)                | BYD-LRYJ10X2        | BYD-LRYJ10X3        | BYD-LRYJ10X4        |
|-------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                |
| Capacity(容积)                  | 10LX2               | 10LX3               | 10LX4               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 380X470X720MM       | 480X470X720MM       | 630X470X720MM       |
| Product Dimensions (产品尺寸, mm) | 310X450X660MM       | 425X450X660MM       | 565X450X660MM       |
| Net Weight (净重kg)             | 20KG                | 29KG                | 32KG                |
| Gross Weight (毛重kg)           | 23KG                | 32KG                | 35KG                |



# JUICE DISPENSER

商用果汁机系列



MIXER(搅拌式)



SPRAY(喷淋式)

- **KM-LRYJ18LX1**



KM-LRYJ18LX2




KM-LRYJ18LX3



# JUICE DISPENSER

商用果汁机系列



MIXER(搅拌式)



SPRAY(喷淋式)

- **BYD-LRYJ18LX1**



BYD-LRYJ18LX2



BYD-LRYJ18LX3



| Model name(名称)                | KM - LRYJ18LX1      | KM - LRYJ18LX2      | KM - LRYJ18LX3      |
|-------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                |
| Capacity(容积)                  | 18LX1               | 18LX2               | 18LX3               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 400X470X740MM       | 520X470X740MM       | 770X470X740MM       |
| Product Dimensions (产品尺寸, mm) | 345X445X700MM       | 460X445X700MM       | 710X445X700MM       |
| Net Weight (净重kg)             | 20KG                | 28KG                | 39KG                |
| Gross Weight (毛重kg)           | 23KG                | 30KG                | 42KG                |

| Model name(名称)                | BYD - LRYJ18LX1     | BYD - LRYJ18LX2     | BYD - LRYJ18LX3     |
|-------------------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                |
| Capacity(容积)                  | 18LX1               | 18LX2               | 18LX3               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 400X470X740MM       | 520X470X740MM       | 770X470X740MM       |
| Product Dimensions (产品尺寸, mm) | 345X445X700MM       | 460X445X700MM       | 710X445X700MM       |
| Net Weight (净重kg)             | 20KG                | 28KG                | 39KG                |
| Gross Weight (毛重kg)           | 23KG                | 30KG                | 42KG                |



# JUICE DISPENSER

商用果汁机系列



MIXER(搅拌式)



SPRAY(喷淋式)

- **KM-LRYJ12LX1**

12L



KM-LRYJ12LX2



KM-LRYJ12LX3



KM-LRYJ12LX4

| Model name(名称)                | KM - LRYJ12LX1      | KM - LRYJ12LX2      | KM - LRYJ12LX3      | KM - LRYJ12LX4      |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           | 50Hz/60Hz           |
| Power(功率)                     | 200W                | 300W                | 350W                | 500W                |
| Capacity(容积)                  | 12LX1               | 12LX2               | 12LX3               | 12LX4               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 290X460X710MM       | 430X460X710MM       | 610X460X710MM       | 810X460X710MM       |
| Product Dimensions (产品尺寸, mm) | 235X430X670MM       | 370X430X670MM       | 545X430X670MM       | 745X430X670MM       |
| Net Weight (净重kg)             | 15KG                | 22KG                | 30KG                | 36KG                |
| Gross Weight (毛重kg)           | 17KG                | 25KG                | 33KG                | 39KG                |

# JUICE DISPENSER

商用果汁机系列



MIXER(搅拌式)



SPRAY(喷淋式)

- **LYJ50LX1**

50L



| Model name(名称)                | LYJ50LX1            |
|-------------------------------|---------------------|
| Voltage(电压)                   | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           |
| Power(功率)                     | 350W                |
| Capacity(容积)                  | 50LX1               |
| Operating Temperature (温度℃)   | 7-12℃/52-58℃        |
| Packaging Size (包装尺寸)         | 520X520X750MM       |
| Product Dimensions (产品尺寸, mm) | 398X353X680MM       |
| Net Weight (净重kg)             | 25KG                |
| Gross Weight (毛重kg)           | 28KG                |



3L

## ICE CREAM MACHINE

商用冰淇淋机

### • CMICE-3L

voltage (电压): 220V - 240V/110V - 130V

frequency(频率): 50Hz/60Hz

power(功率): 262W

capacity (容积): 3LX1

Packaging Size (Plywood Case,木箱尺寸): 535\*280\*605MM

Product Dimensions (产品尺寸, mm): 480\*205\*525MM

Net Weight (净重kg): 12.8KG

Gross Weight (毛重kg): 14.8KG





# HOUSEHOLD SLUSH MACHINE

家用雪融机系列

2.5L

• XRJ2.5L



|                               |                     |
|-------------------------------|---------------------|
| Model name(名称)                | XRJ2.5L             |
| Voltage(电压)                   | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           |
| Power(功率)                     | 200W                |
| Capacity(容积)                  | 2.5LX1              |
| Operating Temperature (温度℃)   | -12 ~ +15℃          |
| Packaging Size (包装尺寸)         | 470X232X480MM       |
| Product Dimensions (产品尺寸, mm) | 423X170X430MM       |
| Net Weight (净重kg)             | 12KG                |
| Gross Weight (毛重kg)           | 12.6KG              |

# HOUSEHOLD SLUSH MACHINE

家用雪融机系列

3L

• XRJ3L



|                               |                     |
|-------------------------------|---------------------|
| Model name(名称)                | XRJ3L               |
| Voltage(电压)                   | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           |
| Power(功率)                     | 200W                |
| Capacity(容积)                  | 3LX1                |
| Operating Temperature (温度℃)   | -12 ~ +15℃          |
| Packaging Size (包装尺寸)         | 490X240X516MM       |
| Product Dimensions (产品尺寸, mm) | 423X170X480MM       |
| Net Weight (净重kg)             | 13KG                |
| Gross Weight (毛重kg)           | 13.8KG              |



HOUSEHOLD  
SLUSH MACHINE

家用雪融机系列

2.5L

• XRJ2.5LA



HOUSEHOLD  
SLUSH MACHINE

家用雪融机系列

2.5L

• XRJ2.5LB



|                               |                     |
|-------------------------------|---------------------|
| Model name(名称)                | XRJ2.5LA            |
| Voltage(电压)                   | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           |
| Power(功率)                     | 200W                |
| Capacity(容积)                  | 2LX1                |
| Operating Temperature (温度℃)   | -8 ~ +10℃           |
| Packaging Size (包装尺寸)         | 493X235X502MM       |
| Product Dimensions (产品尺寸, mm) | 413.7X170X415.5MM   |
| Net Weight (净重kg)             | 12KG                |
| Gross Weight (毛重kg)           | 12.6KG              |

|                               |                     |
|-------------------------------|---------------------|
| Model name(名称)                | XRJ2.5LB            |
| Voltage(电压)                   | 220V-240V/110V-130V |
| Frequency(频率)                 | 50Hz/60Hz           |
| Power(功率)                     | 200W                |
| Capacity(容积)                  | 2LX1                |
| Operating Temperature (温度℃)   | -8 ~ +10℃           |
| Packaging Size (包装尺寸)         | 493X235X502MM       |
| Product Dimensions (产品尺寸, mm) | 413.7X170X415.5MM   |
| Net Weight (净重kg)             | 12KG                |
| Gross Weight (毛重kg)           | 12.6KG              |