

Tianhua
Electric Appliance



宁波市天华电器有限公司

NINGBO TIANHUA ELECTRIC APPLIANCE CO.,LTD

地址：中国浙江慈溪市观海卫镇（鸣鹤）湖滨路18号
Add : No.18 Hubin road,Guanhaiwei town,Cixi city,
Zhejiang prov.China

电话 (Tel) : 0086-574-6361 6918 6362 5095 6362 5096

传真 (Fax) : 0086-574-6362 5688

http : //www.tianhua.com.cn

E-mail : tianhua@tianhua.com.cn

export@tianhua.com.cn / terry@tianhua.com.cn

tianhua.heater@163.com

PRODUCTS CATALOGUE

NINGBO TIANHUA ELECTRIC APPLIANCE CO.,LTD.

Convactor Heater

This clean, minimalist heater by Tianhua is perfect for any application and any decor. With instant heater and its turbo fan system the convactor heater quickly warms up your coldest rooms. It is ideal for use as supplementary or spot heating in the bedroom, living room, office or anywhere in the home. You can customize your heating needs with the adjustable thermostat and three heat settings. You can rest easy knowing that this heater has a safety thermal cut-off, so it doesn't overheat, It's easy to operate and just as easy to move if you shift from one location to another.



Convactor Heater



CH-2020A LED / CH-2520A LED 2Kw Convactor Heater with LED display

- 3 heating powers:750/1250/2000W (For CH-2020A LED)
- 3 heating powers:1000/1500/2500W (For CH-2520A LED)
- Overheat protection
- Power indicator light
- With Turbo Fan
- With 12h programmable timer
- With LED display
- With remote control
- Suitable rooms area: 20m²
- Product size: 670x198x443mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS
- Additional function
- Temperature regulation from 5 to 45°C
- Ergonomic handles for easy carrying
- Program function:POWER ON/OFF,3 HEAT SETTING,TEMPERATURE,TURBO FUNCTION, TIMER,CHILDREN LOCK, FROST PROTECTION, Setting the temperature units (°F/°C)

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020A LED	220-240V~,50Hz 1700-2000W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200
CH-2520A LED	220-240V~,50Hz 2100-2500W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200



CH-2020A SERIES / CH-2520A SERIES

- 3 heating powers:750/1250/2000W (For CH-2020A SERIES)
- 3 heating powers:1000/1500/2500W (For CH-2520A SERIES)
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding

- Suitable rooms area: 25m²
- Product size: 670x198x443mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020A STAND	220-240V~,50Hz 1700-2000W	72x15.4x48.3	3.3/4.1	N/A	1	520	1050	1200	1200
CH-2020A TIMER	220-240V~,50Hz 1700-2000W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200
CH-2020A TURBO	220-240V~,50Hz 1700-2000W	72x15.4x48.3	3.3/4.1	N/A	1	520	1050	1200	1200
CH-2020A TIMER&TURBO	220-240V~,50Hz 1700-2000W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200
CH-2520A STAND	220-240V~,50Hz 2100-2500W	72x15.4x48.3	3.3/4.1	N/A	1	520	1050	1200	1200
CH-2520A TIMER	220-240V~,50Hz 2100-2500W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200
CH-2520A TURBO	220-240V~,50Hz 2100-2500W	72x15.4x48.3	3.3/4.1	N/A	1	520	1050	1200	1200
CH-2520A TIMER&TURBO	220-240V~,50Hz 2100-2500W	72x15.4x48.3	4/4.8	N/A	1	520	1050	1200	1200

CH-2020C SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- With indicator light
- Overheat protection
- With Tip-over switch (OPTIONAL)
- With turbo fan function(OPTIONAL)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 585x188x383mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020C STAND	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.2/2.8	N/A	1	840	1740	2000	2000
CH-2020C TURBO	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.8/3.4	N/A	1	840	1740	2000	2000

CH-2020D SERIES

- 2Kw Convactor Heater
- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- With indicator light
- Overheat protection
- With Tip-over switch (OPTIONAL)
- With Turbo fan function(OPTIONAL)
- Frees tanding
- Power cord length:total 1.6m,visible about 1.4m
- Suitable rooms area: 20m²
- Product size:585x188x383mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020D STAND	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.2/2.8	N/A	1	840	1740	2000	2000
CH-2020D TURBO	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.8/3.4	N/A	1	840	1740	2000	2000

CH-2020E SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- With indicator light
- Overheat protection
- With Tip-over switch (OPTIONAL)
- With turbo fan function(OPTIONAL)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 585x188x383mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



CH-2020F SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- With indicator light
- Overheat protection
- With turbo fan function(Optional)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 585x188x383mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020E STAND	220-240V~,50Hz 1700-2000W	60.5X16X39.5	2.3/2.9	N/A	1	650	1350	1600	1600
CH-2020E TURBO	220-240V~,50Hz 1700-2000W	60.5X16X39.5	2.8/3.5	N/A	1	650	1350	1600	1600

Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020F STAND	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.2/2.8	N/A	1	840	1740	2000	2000
CH-2020F TURBO	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.8/3.4	N/A	1	840	1740	2000	2000

CH-2010C SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Tip-over switch (Optional)
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Power cord length:total 1.6m,visible about 1.4m
- Suitable rooms area: 20m²
- Product size: 565x170x380mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



CH-2020F-LED

- 2Kw Convactor Heater with LED display
- 3 heating powers:750/1250/2000W
- Overheat protection
- Power indicator light
- With Turbo Fan
- With 24h programmable timer
- With LED display
- With Tip-over function
- Suitable rooms area: 20m²
- Product size: 585x188x383mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010C THER	220-240V~,50Hz 1700-2000W	58.5x13.x40	2.1/2.7	N/A	1	910	1900	2200	2200


Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020F-LED	220-240V~,50Hz 1700-2000W	60.5X14X39.5	2.8/3.4	N/A	1	840	1740	2000	2000

Convactor Heater

SPECIALIZATION
QUALITY
HONESTY




Convactor Heater



CH-2020B SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- With indicator light
- Overheat protection
- With turbo fan function(OPTIONAL)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 610X198X425mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020B STAND	220-240V~,50Hz 1700-2000W	64.2X15X44.5	2.9/3.5	N/A	1	660	1350	1530	1530
CH-2020B TURBO	220-240V~,50Hz 1700-2000W	64.2X15X44.5	3.5/4.2	N/A	1	660	1350	1530	1530



CH-2000B SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Freestanding

- Suitable rooms area: 20m²
- Product size: 585x200x420mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000B STAND	220-240V~,50Hz 1700-2000W	62.5X14X44	2.5/3.1	N/A	1	780	1610	1810	1810
CH-2000B TURBO	220-240V~,50Hz 1700-2000W	62.5X14X44	3/3.7	N/A	1	780	1610	1810	1810
CH-2000B TIMER	220-240V~,50Hz 1700-2000W	62.5X14X44	2.5/3.1	N/A	1	780	1610	1810	1810
CH-2000B TIMER&TURBO	220-240V~,50Hz 1700-2000W	62.5X14X44	3/3.8	N/A	1	780	1610	1810	1810



CH-2000M SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding

- Suitable rooms area: 20m²
- Product size: 565x170x380mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000M THER CH-2000M STAND	220-240V~,50Hz 1700-2000W	58.5x13.x40	2.1/2.7	N/A	1	910	1900	2200	2200
CH-2000M TURBO	220-240V~,50Hz 1700-2000W	58.5x13.x40	2.5/3.1	N/A	1	910	1900	2200	2200
CH-2000M TIMER	220-240V~,50Hz 1700-2000W	58.5x13.x40	2.1/2.7	N/A	1	910	1900	2200	2200
CH-2000M TIMER&TURBO	220-240V~,50Hz 1700-2000W	58.5x13.x40	2.5/3.1	N/A	1	910	1900	2200	2200

Convactor Heater

SPECIALIZATION
QUALITY
HONESTY



CH-1510M THER /CH-1810M THER

1.5Kw Convactor Heater

- 2 heating powers:750/1500W
- Adjustable thermostat
- Overheat protection
- Freestanding

- Suitable rooms area: 13-15m²
- Product size: 515x170x325mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

1.8Kw Convactor Heater

- 3 heating powers:750/1050W/1800W
- Adjustable thermostat
- Overheat protection
- Frees tanding

- Suitable rooms area: 15-18m²
- Product size: 515x170x325mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-1510M THER	220-240V~,50Hz 1300-1500W	54.7x13.2x32.5	1.7/2.2	N/A	1	1100	2290	2720	2290
CH-1810M THER	220-240V~,50Hz 1500-1800W	54.7x13.2x32.5	1.7/2.2	N/A	1	1100	2290	2720	2290
CH-1810M A THER	220-240V~,50Hz 1800W	54.7x13.2x32.5	1.7/2.2	N/A	1	1100	2290	2720	2290

POWERFUL+COMPACT

Powerful enough to provide maximum comfort for any room and is ideal for indoor spaces

EASY CONTROLS

Easy-to-use adjustable thermostat to provide that necessary extra warmth no matter where you are in the house.

SAFETY PROTECTION

Built-in overheat protection ensures the heater instantly switches off in unsafe conditions.





CH-1520U SERIES /CH-1820U SERIES/CH-2020UM SERIES

1.5Kw Convactor Heater
1.8Kw Convactor Heater

- 2 heating powers:750/1500W(For CH-1520U Series)
- 3 heating powers:750/1050/1800W (For CH-1820U Series)
- Adjustable thermostat
- Overheat protection
- With turbo Fan Function(Optional)
- Frees tanding

- Suitable rooms area: 15-18m²
- Product size: 515x170x325mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

2.0Kw Convactor Heater

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding

- Suitable rooms area: 20m²
- Product size: 515x170x325mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-1520U STAND	220-240V~,50Hz 1300-1500W	56.5x13.7x33	1.85/2.4	N/A	1	1100	2290	2720	2290
CH-1520U TURBO	220-240V~,50Hz 1300-1500W	56.5x13.7x33	2.3/2.9	N/A	1	1100	2290	2720	2290
CH-1820U STAND	220-240V~,50Hz 1500-1800W	56.5x13.7x33	1.85/2.4	N/A	1	1100	2290	2720	2290
CH-1820U TURBO	220-240V~,50Hz 1500-1800W	56.5x13.7x33	2.3/2.9	N/A	1	1100	2290	2720	2290
CH-2020UM STAND	220-240V~,50Hz 1700-2000W	56.5x13.8x33	1.85/2.4	N/A	1	1100	2290	2720	2290
CH-2020UM TIMER	220-240V~,50Hz 1700-2000W	56.5x13.8x33	1.85/2.4	N/A	1	1100	2290	2720	2290
CH-2020UM TURBO	220-240V~,50Hz 1700-2000W	56.5x13.8x33	2.3/2.9	N/A	1	1100	2290	2720	2290
CH-2020UM TIMER&TURBO	220-240V~,50Hz 1700-2000W	56.5x13.8x33	2.3/2.9	N/A	1	1100	2290	2720	2290



CH-2020U SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding

- Suitable rooms area: 20m²
- Product size: 565x170x380mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2020U STAND	220-240V~,50Hz 1700-2000W	59.5x13.7x40	2.1/2.7	N/A	1	890	1800	2120	2120
CH-2020U TIMER	220-240V~,50Hz 1700-2000W	59.5x13.7x40	2.5/3.1	N/A	1	890	1800	2120	2120
CH-2020U TURBO	220-240V~,50Hz 1700-2000W	59.5x13.7x40	2.1/2.7	N/A	1	890	1800	2120	2120
CH-2020U TIMER&TURBO	220-240V~,50Hz 1700-2000W	59.5x13.7x40	2.5/3.1	N/A	1	890	1800	2120	2120



CH-2000D SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Freestanding
- Suitable rooms area: 20m²
- Product size: 680x200x485mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000D STAND	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000D TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440
CH-2000D TIMER	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000D TIMER&TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440



CH-2000E SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Freestanding
- Suitable rooms area: 20m²
- Product size: 680x200x485mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000E STAND	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000E TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440
CH-2000E TIME	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000E TIMER&TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440



CH-2000F SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Freestanding
- Suitable rooms area: 20m²
- Product size: 680x200x485mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000F STAND	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000F TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440
CH-2000F TIMER	220-240V~,50Hz 1700-2000W	72.5X14X47	3.3/4	N/A	1	590	1290	1440	1440
CH-2000F TIMER&TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.3	N/A	1	590	1290	1440	1440

CH-2200H-LED

2.2Kw Convactor Heater with LED display

- 3 heating powers1000/1200/2200W
- Overheat protection
- Power indicator light
- With Turbo Fan
- With 15h programmable timer
- With LED display
- With remote control
- Suitable rooms area: 20m²
- Product size: 680x200x420mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

- Additional function
- Power :220-240V 50Hz,1800-2200W
- Temperature regulation from 5 to 45°C
- Ergonomic handles for easy carrying
- Program function:POWER ON/OFF,3 HEAT SETTING,TEMPERATURE,TURBO FUNCTION, TIMER,, FROST PROTECTION, Setting the temperature units (°F/°C)

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2200H-LED	220-240V~,50Hz 1800-2200W	72x14x44	4/4.8	N/A	1	640	1300	1440	1440
CH-2200HA-LED	230V~,50Hz 2200W	72x14x44	4/4.8	N/A	1	640	1300	1440	1440



POWERFUL+COMPACT

Powerful enough to provide maximum comfort for any room and is ideal for indoor spaces

EASY CONTROLS

Easy-to-use adjustable thermostat to provide that necessary extra warmth no matter where you are in the house.

SAFETY PROTECTION

Built-in overheat protection ensures the heater instantly switches off in unsafe conditions.

Convector Heater



CH-2010F SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding

- Suitable rooms area: 20m²
- Product size: 655X190X410mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010F STAND	220-240V~,50Hz 1700-2000W	69X14X42	2.9/3.6	N/A	1	710	1440	1700	1700
CH-2010F TIMER	220-240V~,50Hz 1700-2000W	69X14X42	2.9/3.6	N/A	1	710	1440	1700	1700
CH-2010F TURBO	220-240V~,50Hz 1700-2000W	69X14X42	3.3/4	N/A	1	710	1440	1700	1700
CH-2010F TIMER&TURBO	220-240V~,50Hz 1700-2000W	69X14X42	3.3/4	N/A	1	710	1440	1700	1700



CH-2010E-LED

2Kw Convactor Heater with LED display

- 3 heating powers:750/1250/2000W
- Overheat protection
- Power indicator light
- With Turbo Fan
- With 24h programmable timer
- With LED display
- With remote control
- With Tip-over function

- Additional function

- Power :220-240V 50Hz,1700-2000W
- Temperature regulation from 5 to 45°C
- Ergonomic handles for easy carrying
- Program function:POWER ON/OFF,3 HEAT SETTING,TEMPERATURE,TURBO FUNCTION, TIMER,CHILDREN LOCK, FROST PROTECTION, Setting the temperature units (°F/°C)

- Suitable rooms area: 20m²

- Product size: 660X190X410mm

- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010E-LED	220-240V~,50Hz 1700-2000W	70X14X43.5	3.3/4	N/A	1	650	1300	1500	1500



CH-2010E SERIES

- 3 heating powers:750/1250W/2000W

- Adjustable thermostat

- Overheat protection

- With Turbo Fan Function (Optional)

- With 24H Timer Function (Optional)

- Frees tanding

- Suitable rooms area: 20m²

- Product size: 660X190X410mm

- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010E STAND	220-240V~,50Hz 1700-2000W	70X14X43.5	2.9/3.6	N/A	1	650	1300	1500	1500
CH-2010E TIMER	220-240V~,50Hz 1700-2000W	70X14X43.5	2.9/3.6	N/A	1	650	1300	1500	1500
CH-2010E TURBO	220-240V~,50Hz 1700-2000W	70X14X43.5	3.3/4	N/A	1	650	1300	1500	1500
CH-2010E TIMER&TURBO	220-240V~,50Hz 1700-2000W	70X14X43.5	3.3/4	N/A	1	650	1300	1500	1500



CH-2000LE SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- Power indicator light
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 760x200x480mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000LE STAND	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	3.6/4.6	N/A	1	458	980	1180	1180
CH-2000LE TIMER	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	3.6/4.6	N/A	1	458	980	1180	1180
CH-2000LE TURBO	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	4.0/4.8	N/A	1	458	980	1180	1180
CH-2000LE TIMER&TURBO	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	4.0/4.8	N/A	1	458	980	1180	1180



CH-2000L SERIES

- 2Kw Convactor Heater
- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- Power indicator light
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 760x200x480mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000L STAND	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	3.6/4.6	N/A	1	458	980	1180	1180
CH-2000L TIMER	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	3.6/4.6	N/A	1	458	980	1180	1180
CH-2000L TURBO	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	4.0/4.8	N/A	1	458	980	1180	1180
CH-2000L TIMER&TURBO	220-240V~,50Hz 1700-2000W	78.5x14.3.x50.5	4.0/4.8	N/A	1	458	980	1180	1180



CH-2010K SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Power cord length:total 1.6m,visible about 1.4m
- Suitable rooms area: 20m²
- Product size: 600X188X440mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010K TURBO	220-240V~,50Hz 1700-2000W	62.5X14X42	3.2/3.9	N/A	1	810	1620	1830	1830
CH-2010K TIMER&TURBO	220-240V~,50Hz 1700-2000W	62.5X14X42	3.2/3.9	N/A	1	810	1620	1830	1830



CH-2000K SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 680x200x440mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2000K STAND	220-240V~,50Hz 1700-2000W	72.5X14X47	3.2/4	N/A	1	590	1290	1440	1440
CH-2000K TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.2	N/A	1	590	1290	1440	1440
CH-2000K TIMER	220-240V~,50Hz 1700-2000W	72.5X14X47	3.2/4	N/A	1	590	1290	1440	1440
CH-2000K TIMER&TURBO	220-240V~,50Hz 1700-2000W	72.5X14X47	3.6/4.2	N/A	1	590	1290	1440	1440

SPECIALIZATION
QUALITY
HONESTY



CH-2010A SERIES

- 3 heating powers:750/1250W/2000W
- Adjustable thermostat
- Overheat protection
- With Turbo Fan Function (Optional)
- With 24H Timer Function (Optional)
- Frees tanding
- Suitable rooms area: 20m²
- Product size: 690x198x390mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS

Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	No.in package	20GP	40GP	40HQ	MOQ
CH-2010A STAND	220-240V~,50Hz 1700-2000W	70.5X14.3X42.3	2.8/3.5	N/A	1	650	1250	1600	1600
CH-2010A TIMER	220-240V~,50Hz 1700-2000W	70.5X14.3X42.3	2.8/3.5	N/A	1	650	1250	1600	1600
CH-2010A TURBO	220-240V~,50Hz 1700-2000W	70.5X14.3X42.3	3.3/4	N/A	1	650	1250	1600	1600
CH-2010A TIMER&TURBO	220-240V~,50Hz 1700-2000W	70.5X14.3X42.3	3.3/4	N/A	1	650	1250	1600	1600

Fan Heater

It's difficult to work, or relax, when you've got that chill that you just can't shake. That's where your Tianhua portable fan heater comes to the rescue, able to provide that necessary extra warmth no matter where you are in the house. It's easy to operate and just as easy to move if you shift from one location to another.



FH-109

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- With tip-over switch(Optional)
- Suitable rooms area: 20m²
- Product size: 200x130x220mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-109	220-240V~,50Hz 1700-2000W	21x13.5.x22.8	0.85/1.05	65x28.6x47.6	12/13	12	3840	7848	9216	3840
FH-109V	230V~,50Hz 2000W	21x13.5.x22.8	0.85/1.05	65x28.6x47.6	12/13	12	3840	7848	9216	3840

FH-111

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- With tip-over switch(Optional)
- Suitable rooms area: 20m²
- Product size: 198x135x230mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-111	220-240V~,50Hz 1700-2000W	20x14.x23.8	0.85/1.05	62x30x49.6	12/13	12	3600	7440	8484	3600
FH-111V	230V~,50Hz 2000W	20x14.x23.8	0.85/1.05	62x30x49.6	12/13	12	3600	7440	8484	3600

FH-112

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- With tip-over switch(Optional)
- Suitable rooms area: 20m²
- Product size: 200x130x220mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-112	220-240V~,50Hz 1700-2000W	21x13.5.x22.8	0.9/1.05	65x28.6x47.6	12/13	12	3840	7848	9216	3840
FH-112V	230V~,50Hz 2000W	21x13.5.x22.8	0.9/1.05	65x28.6x47.6	12/13	12	3840	7848	9216	3840

FH-113

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- With tip-over switch(Optional)
- Suitable rooms area: 20m²
- Product size: 198x135x230mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-113	220-240V~,50Hz 1700-2000W	20.5x14.x23.8	0.9/1.05	63.5x30x49.6	12/13	12	3600	7320	8400	3600
FH-113V	230V~,50Hz 2000W	20.5x14.x23.8	0.9/1.05	63.5x30x49.6	12/13	12	3600	7320	8400	3600

FH-103

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- With tip-over switch(Optional)
- Suitable rooms area: 20m²
- Product size: 185x128x225mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-103	220-240V~,50Hz 1700-2000W	19x13.2x23	0.9/1.05	59x28.2x48	12/13	12	4320	9000	10140	4320

FH-101

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 220x140x263mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-101	220-240V~,50Hz 1700-2000W	22.8x14.8x26.8	0.9/1.05	46x24x55	6.5/7.2	6	2700	5610	6600	4320

FH-502

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Suitable rooms area: 20m²
- Product size: 235X165X240mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-502	220-240V~,50Hz 1700-2000W	24X17X24.5	1.15/1.3	52.5X25.6X51	6.5/8	6	2370	5250	5850	2370

FH-726

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- With Oscillation function
- Suitable rooms area: 20m²
- Product size: 183X158X270 mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-726	220-240V~,50Hz 1700-2000W	18.5X16X27.3	12/1.35	50X20.5X56	7.2/8.7	6	2910	6120	6870	2910

Fan Heater

POWERFUL+COMPACT

Powerful enough to provide maximum comfort for any room and is ideal for indoor spaces.

EASY CONTROLS

Easy-to-use adjustable thermostat to provide that necessary extra warmth no matter where you are in the house.

SAFETY PROTECTION

Built-in overheat protection ensures the heater instantly switches off in unsafe conditions.



Fan heater

FH-901B

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 245X120X250mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-901B	220-240V~,50Hz 1700-2000W	25X12.5X25.5	1.15/1.3	39X26.5X52.5	7/8.3	6	3000	6510	7200	3000
FH-901BV	230V~,50Hz 2000W	25X12.5X25.5	1.15/1.3	39X26.5X52.5	7/8.3	6	3000	6510	7200	3000

FH-203

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 260x125x270mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-203	220-240V~,50Hz 1700-2000W	26.5X13X27.5	1/1.1	41X28X57	7.8/9.8	6	2592	5370	6060	2592

FH-202

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 220x250x90mm(235x250x110cm)
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-202	220-240V~,50Hz 1700-2000W	24.3X10.8X27.8	1/1.1	34X25.5X57.1	6/7.2	6	3420	6900	8010	3420

FH-202B

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 220x250x90mm(235x250x110cm)
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-202B	220-240V~,50Hz 1700-2000W	24.3X10.8X27.8	1/1.1	34X25.5X57.1	6/7.2	6	3420	6900	8010	3420
FH-202BV	230V~,50Hz 2000W	24.3X10.8X27.8	1/1.1	34X25.5X57.1	6/7.2	6	3420	6900	8010	3420

FH-202BR

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 240x260x150mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-202BR	220-240V~,50Hz 1700-2000W	25X16X27	1.2/1.4	50X27X56	7.2/9	6	1920	4320	5040	1920

FH-205

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 230x110x260mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-205	220-240V~,50Hz 1700-2000W	23.5X12X27	1/1.1	38X26X56	6/7.2	6	2520	5880	6900	2520

FH-601

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With 24 hours timer
- Suitable rooms area: 20m²
- Product size: 215X140X285mm
- Certificates and report:CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-601	220-240V~,50Hz 1700-2000W	22.2x14.5x29.5	1.3/1.45	46x23.5x60.5	8/9.2	6	2400	4950	5820	2400

FH-607

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 192X140X235mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-607	220-240V~,50Hz 1700-2000W	19.7x14.8x24.2	1/1.1	62x32.2x50	12/14	12	3000	6660	7800	3000
FH-607V	230V~,50Hz 2000W	19.7x14.8x24.2	1/1.1	62x32.2x50	12/14	12	3000	6660	7800	3000

FH-609

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 255X130X252mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-609	220-240V~,50Hz 1700-2000W	26.5x13x23.5	1/1.2	41x27.5x49	6/8	6	3000	6000	7440	3000

FH-611

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 205X130X240mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-611	220-240V~,50Hz 1700-2000W	21.2x13.8x25	1/1.15	43.5x22.5x52	6/8	6	3240	6660	7800	3240

FH-611-LED

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Digital adjustable thermostat
- Over heat protection
- With tip-over function
- With 24h programmable timer
- With LED display
- Suitable rooms area: 20m²
- Product size: 205X130X240mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-611-LED	220-240V~,50Hz 1700-2000W	21.2x13.8x25	1.1/1.15	43.5x22.5x52	6/8	6	3240	6660	7800	3240

FH-106

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- Suitable rooms area: 20m²
- Product size: 225x200x175mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-106	220-240V~,50Hz 1700-2000W	23x20.5x18	0.9/1.05	71x42.5x38.5	12/13	12	2880	5940	6720	2880

Fan Heater

SPECIALIZATION
QUALITY
HONESTY



FH-105

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Suitable rooms area: 20m²
- Product size: 210x150x210mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-105	220-240V~,50Hz 1700-2000W	22x15.5.x22	0.9/1.05	68x34x46	12/14	12	3000	6600	7560	3000
FH-105V	230V~,50Hz 2000W	22x15.5.x22	0.9/1.05	68x34x46	12/14	12	3000	6600	7560	3000

FH-107

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 240X150X225 mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-107	220-240V~,50Hz 1700-2000W	25X15.5X23.5	1/1.1	77x33x49	12/14	12	2640	5520	6000	2640

FH-505

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 210x160x230mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-505	220-240V~,50Hz 1700-2000W	22x16.5.x23.5	1/1.1	51.5x24x49	6/7.2	6	2640	5400	6000	2640
FH-505V	230V~,50Hz 2000W	22x16.5.x23.5	1/1.1	51.5x24x49	6/7.2	6	2640	5400	6000	6000

FH-515

- 2 Heating Powers: 1000 / 2000 W
- Cool/warm/hot wind for selection
- Adjustable thermostat
- Over heat protection
- With tip-over switch
- Power indicator light
- Suitable rooms area: 20m²
- Product size: 210x160x230mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-515	220-240V~,50Hz 1700-2000W	22x16.5.x23.5	1/1.1	51.5x24x49	6/7.2	6	2640	5400	6000	2640
FH-515V	230V~,50Hz 2000W	22x16.5.x23.5	1/1.1	51.5x24x49	6/7.2	6	2640	5400	6000	2640

SPECIALIZATION
QUALITY
HONESTY

FH-606

- 2 Heating Powers: 1000 / 2000 W
 - Cool/warm/hot wind for selection
 - Adjustable thermostat
 - Over heat protection
 - With tip-over switch
 - Power indicator light
- Suitable rooms area: 20m²
- Product size: 192X145X235mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS




Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
FH-606	220-240V~,50Hz 1700-2000W	19.8x15.1x24	1/1.1	62x32.2x50	12/14	12	3000	6660	7800	3000
FH-606V	230V~,50Hz 2000W	19.8x15.1x24	1/1.1	62x32.2x50	12/14	12	3000	6660	7800	3000



Ceramic Fan Heater

It's difficult to work, or relax, when you've got that chill that you just can't shake. That's where your Tianhua portable fan heater comes to the rescue, able to provide that necessary extra warmth no matter where you are in the house. It's easy to operate and just as easy to move if you shift from one location to another.



PFH-2000H

- 2.0kW PTC Fan Heater
- 2 heating powers:1000/2000W
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- Safety tip over switch
- With Oscillation function

- Suitable rooms area: 20m²
- Product size: 217x217x575mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
PFH-2000H	220-240V~,50Hz 2000W	25.5X25.5X62.5	2.5/3	53X53X65.5	12/13	4	528	1056	1400	1400

PFH-2000H LED

- 2.0kW PTC Fan Heater with LED display
- 2 heating powers:1000/2000W
- Over heat protection
- Power indicator light
- Safety tip over switch
- With Oscillation function
- With 12h programmable timer
- With LED display
- With remote control

- Additional function
- Power :220-240V 50Hz2000W
- Temperature regulation from 5 to 45°C
- Ergonomic handles for easy carrying
- Program function:POWER ON/OFF,2 HEAT SETTING,TEMPERATURE,TURBO FUNCTION,TIMER,, FROST PROTECTION, Setting the temperature units (°F/°C)

- Suitable rooms area: 20m²
- Product size: 217x217x575mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
PFH-2000H LED	220-240V~,50Hz 2000W	25.5X25.5X62.5	2.5/3	53X53X65.5	12/13	4	528	1056	1400	1400

KPT-1500A

- 1.5kW PTC Fan Heater
- 2 heating powers:750/1500W
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- Safety tip over switch
- With Oscillation function(Optional)
- DC MOTOR

- Suitable rooms area: 20m²
- Product size: 178x135x250mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-1500A	220-240V~,50Hz 1500W	18.5x14x26	1.3/1.45	48X20X55	7.8/9.3	6	3096	6336	7344	3000
KPT-1500AA	220-240V~,50Hz 1500W	18.5x14x26	1.2/1.3	48X20X55	7.2/8.7	6	3096	6336	7344	3000

KPT-2010C

- 1.0kW PTC Fan Heater
- 2 heating powers:500/1000W
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- With Tip-Over switch
- DC motor

- Suitable rooms area: 5-8m²
- Product size: 275x100x160mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-2010C	220-240V~,50Hz 1000W	28x11x17	1/1.1	35x30x53	9/10	9	3960	8820	10350	3960

KPT-1805A

- 500w Mini PTC Fan Heater
- One Power setting: 500 Watts
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- DC MOTOR
- Suitable rooms area: 10m²
- Product size: 155x115x162mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-1805A	220-240V~,50Hz 500W	16.5x13x16.5	0.6/0.7	51x28x35	7.2/8.8	12	6840	13920	15600	3000

KPT-1805B

- 500w Mini PTC Fan Heater
- One Power setting: 500 Watts
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- DC MOTOR
- Suitable rooms area: 10m²
- Product size: 155x115x162mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-1805B	220-240V~,50Hz 500W	16.5x13x16.5	0.6/0.7	51x28x35	7.2/8.8	12	6840	13920	15600	3000

KPT-2005A

- 400W PTC Fan Heater-plug in heater
- Heating powers:400W
- Ceramic heating element;Digital adjustable thermostat;
- Over heat protection;On/Off button
- Plug in design;LED Display;
- Temperature display from 15C to 36C.
- Timer 1 to12 hours ;DC motor
- Suitable rooms area: 8-10m²
- Product size: 100x108x176mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-2005A	220-240V~,50Hz 400W	11x10.5x18	0.4/0.5	35X33.5X38	7.5/9.5	18	10368	21384	24948	5000

KPT-2015B

- 1.5Kw PTC Fan Heater
- 2 heating powers:750/1500W
- Adjustable thermostat,
- Over heat protection
- Power indicator light
- DC motor
- Suitable rooms area: 20m²
- Product size: 210x140x210mm
- Certificates and report: CE/EMC/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
KPT-2015B	220-240V~,50Hz 1500W	22x15x22	1/1.1	46x24x46	6/7.2	6	2800	6000	7350	2880

Quartz Heater

SPECIALIZATION
QUALITY
HONESTY

QH-1000D

- 1.0KW Quartz Heater
- 2 Heat Settings: 500W/1000W
- Wide-angle heat reflector
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 8-10m²
- Product size: 290x200x380 mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1000D	220-240V~,50Hz 800-1000W	31x14.5x37.5	1.2/1.4	75x32.5x39	7/7.8	5	1450	3025	3500	3500



Quartz Heater

Tianhua
Electric Appliance

QH-1200D

- 1.2KW Quartz Heater
- 3 Heat Settings: 400W/800W/1200W
- Wide-angle heat reflector
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 10-12m²
- Product size: 325x200x440 mm
- Certificates and report: CE/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1200D	220-240V~,50Hz 1000-1200W	34.8x15.6x44.8	1.6/1.8	64X36.5X46.5	7.2/8.0	4	1120	2296	2670	2670

QH-1200B


- 1.2KW Radiant Wall Heater
- 2 Heat Settings: 600W/1200W
- Adjustable tilt head
- Wall Mounted
- Pull cord control
- With water proof, IPX4(Optional)
- Suitable rooms area: 8-10m²
- Product size: 575x100x100mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1200B (without IP)	220-240V~,50Hz 1000-1200W	60x12.3x11.3	1.3/1.5	62x26.5x42.5	9/10	6	2220	4530	5160	2220
QH-1200BR (with IPX4)	220-240V~,50Hz 1000-1200W	60x12.3x11.3	1.3/1.5	62x26.5x42.5	9/10	6	2220	5760	6600	2760

QH-1200C

- 1.2KW Radiant Wall Heater
- 2 Heat Settings: 600W/1200W
- Adjustable tilt head
- Wall Mounted
- Pull cord control
- With water proof, IPX4(Optional)
- Suitable rooms area: 8-10m²
- Product size: 540x105x135mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1200C (without IP)	220-240V~,50Hz 1000-1200W	57X16.2X13	1.4/1.6	59X34.5X41	8.5/10.5	6	1830	3750	4620	1830
QH-1200CR (with IPX4)	220-240V~,50Hz 1000-1200W	57X16.2X13	1.4/1.6	59X34.5X41	8.5/10.5	6	1830	3750	4620	1830

QH-1500C


- 1.5KW Bathroom Radiant Wall Heater
- 3 Heat Settings: 500W/1000W/1500W
- Adjustable tilt head
- Wall Mounted
- Pull cord control
- With water proof, IPX4
- Suitable rooms area: 8-10m²
- Product size: 555x95x160mm
- Certificates and report: CE/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1500C (without IP)	220-240V~,50Hz 1300-1500W	57X16.2X13	1.4/1.6	59X34.5X41	8.5/10.5	6	1830	3750	4620	1830
QH-1500CR (with IP)	220-240V~,50Hz 1300-1500W	57X16.2X13	1.4/1.6	59X34.5X41	8.5/10.5	6	1830	3750	4620	1830

QH-1200H


- 1.2KW Bathroom Radiant Wall Heater
- 2 Heat Settings: 600W/1200W
- Adjustable tilt head
- Wall Mounted
- Pull cord control
- With water proof, IPX4
- Suitable rooms area: 8-10m²
- Product size: 555x95x160mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1200H	220-240V~,50Hz 1000-1200W	58.7x12.4x18.7	1.5/1.8	60.5x26.5x57.7	9/11.5	6	1620	3330	4140	1620

QH-1500H

- 1.5KW Bathroom Radiant Wall Heater
- 3 Heat Settings: 500W/1000W/1500W
- Adjustable tilt head
- Wall Mounted
- Pull cord control
- With water proof, IPX4
- Suitable rooms area: 8-10m²
- Product size: 555x95x160mm
- Certificates and report: CE/REACH/ROHS



Model No.	Technical data	Color box size(cm)	N.W/G.W per Unit(kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1500H	220-240V~,50Hz 1300-1500W	58.7x12.4x18.7	1.6/1.9	60.5x26.5x57.7	9.6/12	6	1620	3330	4140	1620

QH-1200F

- 1.2KW Radiant Heater
- 2Heat Settings: 600W/1200W
- Desk top
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 8-10m²
- Product size: 460x180x195 mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1200F	220-240V~,50Hz 1000-1200W	53x20.7x22.5	1.5/1.7	54.5x43x69.5	9/11	6	1020	2100	2502	1020

QH-1500F

- 1.5KW Radiant Heater
- 3 Heat Settings: 500W/1000W/1500W
- Desk top
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 8-10m²
- Product size: 460x180x195 mm
- Certificates and report: CE/ErP/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1500F	220-240V~,50Hz 1300-1500W	53x20.7x22.5	1.5/1.7	54.5x43x69.5	9/11	6	1020	2100	2502	1020

QH-1800F

- 1.8KW Radiant Heater
- 2Heat Settings: 900W/1800W
- Desk top
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 10-15m²
- Product size: 590x213x260 mm
- Certificates and report: CE/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-1800F	220-240V~,50Hz 1500-1800W	60x25.2x28.5	2./2.5	62x52x59	8/11.3	4	600	1240	1440	1440

QH-2200F

- 2.2KW Radiant Heater
- 3Heat Settings: 750W/1450W/2200W
- Desk top
- Power indicator light
- Safety tip-over switch
- Suitable rooms area: 10-15m²
- Product size: 590x213x260 mm
- Certificates and report: CE/REACH/ROHS



Model No.	Techical data	Color box size(cm)	N.W/G.W per Unit((kg)	Carton Size(cm)	N.W/G.W per/carton(kg)	No.in one carton	20GP	40GP	40HQ	MOQ
QH-2200F	220-240V~,50Hz 1800-2200W	60x25.2x28.5	2.1/2.65	62x52x59	8.4/11.8	4	600	1240	1440	1440